	C	ENTRAL INTELLIGE	NCE AGENCY	
	INF	ORMATION	REPORT	
COUNTRY	Hungary	,		DATE DICTE //
SUBJECT	Kecskemet Airfield	đ.		DATE DISTR. // May 19
				NO. OF PAGES 3
				NO. OF ENCLS. 2
				SUPPLEMENT TO REPORT NO.
This because of the service of the s	CONTACAS INFORMATION APPECTING THE N STATES, SITHIN THE MEANING PT TITLE IN THE U.S. COOK, AND ASSESSED. ITS THACKING CONTENTS TO SO SECRET BY AN UNAUTION LAS. THE REPRODUCTION OF THE POSIT	11218 PERSON 11 C	THIS IS UI	NEVALUATED INFORMATION
1	long and the other st was 800 meters and (N was concrete. The in	gest side of the ide (NNW-SSE) was NE-SE) about 300	landing field () about 1,800 mer meters. The ner	rack railroad passed over ield. To the best of my NW-SE) was about 2,000 met ters long. The width (NW- riphery of the landing fie vered with pressed sand of
2° [ i	long and the other si was 800 meters and (News concrete. The in prownish color.  Plast pens for the analytic City of Kecske or night landing aids	gest side of the ide (NNW-SSE) was NE-SE) about 300 aterior area of the creaft and no aterior was adequate such as runway	landing field (18 about 1,800 memeters. The period was controlled was controlled was controlled was a for the needs of the	ield. To the best of my W-SE) was about 2,000 meters long. The width (NW-riphery of the landing fiewered with pressed sand of aircraft installations, no Although power supplied of the sirfield them.
2^ [ i t	long and the other si was 800 meters and (N was concrete. The in prownish color.	gest side of the ide (NNW-SSE) was NE-SE) about 300 aterior area of the creaft and no aterior was adequate such as runway	landing field (18 about 1,800 memeters. The period was controlled was controlled was controlled was a for the needs of the	week with pressed sand of
3. East Property of the second	long and the other signs and the other signs 800 meters and (Nowas 800 meters and (Nowas concrete. The incremental properties of the signs and the City of Kecsker night landing aids alght flying operation of the YAM of the City of the YAM of the MSZ type oil was inter. During the coak—SB's, IL-10's and commula for Krompic is	the furating for gaso K-11 and the ZII as used, MK type IL-2's to prevents KGCOO Org. Airs	landing field (18 about 1,800 mereters. The period of the field was controlled the field was controlled to the needs of the needs of the needs of the needs of the used was 94 No. When aircraft) was used for grows added to the freezing. It is traft were services	ield. To the best of my W-SE) was about 2,000 meters long. The width (NW-riphery of the landing fiewered with pressed sand of aircraft installations, and Although power supplied of the airfield, there were lights. There were no to be adequate for this for YAK-9's, IL-10's and t were not flying for long round run-ups. During autumn, and MVSZ type for the cooling water of YAK-9's type for the cooling water of YAK-9's and the cooling water of YAK-9's are the chemical and MVSZ type for the cooling water of YAK-9's and the cooling water of YAK-9's are the chemical and MVSZ type for the cooling water of YAK-9's are the chemical and MVSZ type for the cooling water of YAK-9's are the transfer and the chemical and the same than the chemical and the same than the same tha
3. East William I a	plant the other signs and the other signs 800 meters and (Notes and Corownish color.  Diast pens for the analytic City of Kecsker night landing aids sight flying operation of time, 72 of the Markey's; 87 for the YAI erloas of time, 72 of the Markey's; 1L-10's and communication of 3,6 believe that the air	the (NNW-SSE) was NE-SE) about 300 nterior area of the reraft and no at met was adequate such as runway ns.  the furating for gaso K-11 and the ZLI ctane (non-euhyl as used, MK type old months Kronp: IL-2's to prevent K2CO2 Oy. Airc 500 litres, and the field was operate tion. Although 1	landing field (18 about 1,800 mereters. The perime field was concern were no antigrated and the field was concern the needs of the needs of lights or search and the used was 94 No. When aircraft was used for grown and the was added to at freezing. It is reaft were services out trucks of the content all year.	ield. To the best of my W-SE) was about 2,000 meters long. The width (NW-riphery of the landing fiewered with pressed sand of aircraft installations, an Although power supplied of the airfield, there were lights. There were not to be adequate for this for YAK-9's, IL-10's and twere not flying for long autumn, and MVSZ type for the cooling water of YAK-9's lieve that the chemical and by six fuel trucks, early 1,000 litres capacity early the exact speed of the latter and the exact speed of the
3. East Visit No. 1. I as with	plant the other signs and the other signs 800 meters and (Notes and Corownish color.  Diast pens for the analytic City of Kecsker night landing aids sight flying operation of time, 72 ocummer MSZ type oil we inter. During the coak-mula for Kronpic is the a capacity of 3,6 believe that the air southeasterly direct	the further and the furciaft and no at such as runway ins.  the furctang for gaso K-11 and the ZLI ctane (non-euhyl as used, MK type old months Kronp: IL-2's to prevent K2CO2 Oy. Airo 500 litres, and the furcial was operated in Although I twas between 30	landing field (18 about 1,800 members. The period of the field was controlled the field was controlled to the needs of the	ield. To the best of my W-SE) was about 2,000 meters long. The width (NW-riphery of the landing fiewered with pressed sand of aircraft installations, an Although power supplied of the airfield, there were lights. There were not to be adequate for this for YAK-9's, IL-10's and twere not flying for long autumn, and MVSZ type for the cooling water of YAK-9's lieve that the chemical and by six fuel trucks, early 1,000 litres capacity early the exact speed of the latter and the exact speed of the
3. East V. Fr. W. S. Tr. P.C.	long and the other signs and the other signs 800 meters and (Nowas 800 meters and (Nowas concrete. The increment of the color.  Plast pens for the analytic City of Kecske conight landing aids sight flying operation of the color of the YAM of the City of the YAM of Th	the (NNW-SSE) was NE-SE) about 300 interior area of the recraft and no at met was adequate such as runway ins.  The furting for gaso K-11 and the ZLI ctane (non-euhyl as used, MK type old months Kronp: IL-2's to prevent K2CO2 Oyo. Airc 500 litres, and the field was operated in a Although I was between 30 interior of the sketch, and the series of the sketch.	landing field (18 about 1,800 memeters. The period of the field was controlled the field was controlled to the field was delights or search along the supply seemed line used was 94 No. When aircraft was used for spring and the was added to the freezing. It is traft were servitive oil trucks of the field was added to the freezing. It is traft were servitive oil trucks of the field was added to the freezing. It is traft were servitive oil trucks of the field was added to the freezing. It is the field was added to the freezing. It is the field was added to the freezing. It is the field was added to the freezing. It is the field was added to the freezing. It is the field was added to the freezing. It is the field was added to the freezing was added to the field was added to	ield. To the best of my W-SE) was about 2,000 meters long. The width (NW-riphery of the landing fiewered with pressed sand of aircraft installations, not although power supplied of the airfield, there were lights. There were not to be adequate for this for YAK-9's, IL-10's and to were not flying for long round run-ups. During autumn, and MVSZ type for the cooling water of YAK-9's the chemical sed by six fuel trucks, estimated by six fuel trucks, estima
3. East Post of the state of th	plant the other signs and the other signs 800 meters and (Notes and Corownish color.  Diast pens for the analytic City of Kecsker night landing aids sight flying operation of time, 72 of the Markey of time, 72 of the Markey of the City of the YAI eriods of time, 72 of the Markey of the Carlo of the Markey of the Carlo of the Car	the recraft and no at the recraft and no at the recraft and no at the rating for gaso K-11 and the ZLT as used, MK type old months Kronp: IL-2's to prevent K2CO <sub>2</sub> O <sub>7</sub> and the recraft was operated as used as operated	landing field (18 about 1,800 mereters. The perime field was controlled the field was controlled to the field was governed to the needs of the needs was governed to the needs of the needs was governed to the needs of the needs	ield. To the best of my W-SE) was about 2,000 meters long. The width (NW-riphery of the landing fiewered with pressed sand of aircraft installations, an Although power supplied of the airfield, there were lights. There were not to be adequate for this for YAK-9's, IL-10's and twere not flying for long autumn, and MVSZ type for the cooling water of YAK-9's lieve that the chemical and by six fuel trucks, early 1,000 litres capacity early the exact speed of the latter and the exact speed of the
3. East Visit of the second of	plant the long and the other si was 800 meters and (I was 800 meters and (I was concrete. The indicate pension of the analytic construction of the	the (NNW-SSE) was NE-SE) about 300 of the recrease of the recrease and no at the recrease as a dequate such as runway ons.  The furating for gaso of the rating for gaso of the recrease (non-eun) as used, MK type old months kronp: IL-2's to prevent of K2CO <sub>2</sub> O <sub>7</sub> . Airc 500 litres, and the recrease of	landing field (18 about 1,800 mereters. The period of the field was controlled the field was controlled to the needs of the needs of the needs of the used was 94 No. When aircraft was used for graft were service woo cil trucks of the needs of the freezing. It is the field was added to the freezing. It is the field was added to the freezing. It is the field was added to the freezing. It is the field was added to the freezing. It is the field was added to the freezing. It is the field was added to the freezing. It is the field was added to the freezing of the field was added to the freezing. It is the field was added to the freezing of the field was added to the freezing. It is the field was added to the freezing of the field was added to the freezing. It is the field was added to the freezing of the field was added to the freezing was added to the freezing was added to the freezing. It is the field was added to the freezing was added to the freezing. It is the freezing was added to the freezi	ield. To the best of my W-SE) was about 2,000 meters long. The width (NW riphery of the landing fivered with pressed sand of aircraft installations, and although power supplied of the airfield, there were lights. There were no to be adequate for this for YAK-9's, IL-10's and twee not flying for long round run-ups. During autumn, and MVSZ type for the cooling water of YAK-believe that the chemical red by six fuel trucks, etc. 1,000 litres capacity end are exact speed of the nur.

25X1

25X1

25X1

25X1

SECRET/

-2-

#5	. Hangar destroyed during last war.
#6,6a,6b	Three garage buildings, dimensions unknown.
#7	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	60 meters long and 5 meters wide.
#8 <b></b>	. Concrete covered area used for washing vehicles, dimensions were
//	40 meters by 40 meters.
#9	Building bombed out during lest war.
#ío	Concrete toxi stain 25 material last war.
#11	Concrete taxi strip, 35 meters long and 5 meters wide.
#12,13,11	Concrete aprons, about 40 meters long and 10 meters wide.
عد و عد //	Three hangar buildings, 40 meters long, 30 moters wide and
	about 13 meters high. They were constructed of concrete with
√la e	corrugated metal roofs.
#15	
#15a,15b.	
	and walls covered with camouflage paint. Telegraph and teletime
1125 25	installations were located here.
#16,16a,	
16b,.,	The result of the result of the result of the real of
//	wide.
#17	
	Red tile roof and walls covered with camouflage paint.
#18,	Concrete covered circular area, about 10 meters in diameter
#19	Two-story brick building. 40 meters and 20 meters long and 10
	meters wide. Red tile roof, walls covered with camouflage paint.
	This building was used for offices.
#20,21,22	Three-story, brick barracks, 70 meters long, 40 meters wide and
	covered with carouflage paint.
#23	Bachellor officer's quarters. Brick building, single story, red
	tile roof, about 50 meters long and 20 meters wide and 10 meters
	high.
#24	Concrete covered area about 30 by 20 meters.
#25	Three-story brick barracks, about 70 meters long and 40 meters
	wide. Red tile roof and covered with camouflage paint.
#26.	Three-story brick barracks, 70 meters and 40 meters long, 10
	meters wide. Red tile roof, covered with camouflage paint. Can-
	teen located in basement.
#27	Circular concrete covered area, about 30 meters in diameter.
#28	Grass covered sports area, 90 by 40 meters.
#29	One-story, brick building, 30 meters long, 15 meters wide. Red
,, , , , , , , , , , , , , , , , , , , ,	tile roof, covered with camourlage paint. This building was an
	officer's Mess.
#30	Two-story, brick building, 50 meters long and 15 meters wide.
,, -	Red tile roof, covered with camouflage paint. The counter-intelli-
	gence office was located here.
#31	Underground fuel storage installation.
#32	Unoccupied one-story, brick building, 5 by 5 meters. Red tile
7.3-00000	roof and covered with camouflage paint.
#33	Two-story brick budding paint.
<i>"</i> 35 - 0 0 0 0	Two-story, brick building, painted yellow, 40 meters by 30 meters.
	Gray slate roof. This building was used as sleeping quarters for instructors.
#34	
# <b>5</b> · • • • • • •	Iron gate entrance to airfield, guarded by one soldier with sub-machine gum.
#35	
	Kecskemet Bekescsaba highway constructed of concrete, 10 meters wide and in good condition.
#36	Three-story brick bullding and the second
	Three-story, brick building, constructed in 1950, 50 meters long
	and about 20 meters wide. This building was used as quarters for
	married officers.

## 6. The following points refer to sketch, Enclosure (B):

## POINT

#1.000000	The Kecskemet Air Field.
#2,000000	The airfield's radio station located about 800 meters south of
	the airlield. The building was constructed of brick. 5 by 5
// 2	meters with slate roof. This station had three entennee
#3000000	Canned food factory, constructed of brick, with two red brick
	smoke stacks 40 or 50 meters high.

## Approved For Release 2004/02/10: CIA-RDP80-00809A000600010019-6

	ı		
STECKETE!			
011010111		1	
	'		

-3-

# ...... Kecskemet-Bekescsaba highway.

..... Dirt road.

Dirt road leading to small village of about 40 houses.
One-story, brick building, about 40 meters long and 30 meters wide. Red tile roof. This building was an Tun.

-end-

ENCLUSURE (A): Kecsker t Airfield

ENCLOSURE (B): Kecskemet Airfield and surrounding area.

Approved For Release 2004/02/10 : CIA-RDP80-008094000600010019-6


Approved For Release 2004/02/10: CIA-RDP80-00809A000600010919-6

ENCLOSURE (A)

SECRET

MEMORY SKETCH OF KECSKEMET AIRFIELD

(46°53'N - 19°41'E)



ENCLOSURE (B)

SECRET

25X1

MEMORY SKETCH OF KECSKEMET AIRFIELD
- SURROUNDING AREA

(46°53'N - 19°41'E)

